

Model	Description	UK List (£)
<b>Dante-AV</b>		
D2-210H	<b>Dante AV- H</b> , FHD PTZ camera, 10X Optical zoom, HOV 69°, Output: HDMI+IP+USB2.0, Resolution: Up to 1080p60; Pan/Tilt/Zoom variable speed; Power:12VDC, POE, Color Black	685.00
D2-220H	<b>Dante AV- H</b> , FHD PTZ camera, 20X Optical zoom, HOV 56°, Output: 3G-SDI+HDMI+IP+USB2.0, Resolution: Up to 1080p60; Pan/Tilt/Zoom variable speed; Power:12VDC, POE, Color Black	860.00
D6-420H	<b>Dante AV- H</b> , 4K60 PTZ camera, 20X Optical zoom, HOV 80°, Output: HDMI 2.0+IP+USB2.0, Resolution: Up to 2160p60, Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE+, Color Black	1,460.00
D412	<b>Dante AV-Ultra</b> PTZ camera, resolution up to 4K60, 12X zoom. HDMI and Dante AV output, POE++, 12VDC power	1,715.00
D220	<b>Dante AV-Ultra</b> PTZ camera, resolution up to 1080p60, 20X zoom. HDMI and Dante AV output, POE++, 12VDC power	1,375.00
D20H	<b>Dante AV-Ultra</b> Transceiver(Encoder/Decoder), supports 4K60, 1080p60, HDMI input, HDMI output, POE++, 12VDC power	1,115.00
D20S	<b>Dante AV-Ultra</b> Transceiver(Encoder/Decoder), supports 4K60, 1080p60, HDMI input, HDMI and 12G-SDI output, POE++, 12VDC power	1,285.00
EG40DH	<b>DanteAV-H</b> Decoder, Input:IP, Output:12G-SDI, HDMI 2.0, Audio(Out), RS-422	1,115.00
<b>NDI Line Indoor</b>		
N2-210X	<b>NDI-HX3</b> FHD PTZ camera, 10X Optical zoom, HOV 69°, Output: HDMI+IP+USB2.0, Resolution: Up to 1080p60; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE, Color Black	685.00
N2-220X	<b>NDI-HX3</b> FHD PTZ camera, 20X Optical zoom, HOV 56°, Output: HDMI+3G-SDI+IP+USB2.0, Resolution: Up to 1080p60; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE, Color Black	860.00
N6-420X	<b>NDI-HX3</b> 4K60 PTZ camera, 20X Optical zoom, HOV 80°, Output: HDMI 2.0+IP+USB2.0, Resolution: Up to 2160p60, Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE+, Color Black	1,375.00
N7-220X	<b>NDI-HX3</b> FHD PTZ camera, 20X Optical zoom, HOV 56°, Output: 3G-SDI+HDMI+IP+USB2.0, Resolution: Up to 1080p60, 1080i59.94; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE+, Color Black	1,030.00
R9-230NX	<b>NDI-HX3</b> FHD PTZ camera, Sony image module, Optical 30X zoom, HOV:58°; Super Image Stabilizer; Low Light Performance; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 3G-SDIx2, HDMI, IP(Standard HEVC); SDI Optical, Video; Resolution: Up to 1080p60, 1080i:59.94, IP up to 1080p60; Power:12VDC, POE++; Body Color Black	3,780.00
R9-418N	<b>NDI High Bandwidth</b> , 4K30 PTZ camera, Sony image module, 1 inch "Exmor R" CMOS 14.4MP; 18X zoom, HOV:64.6°; Black Level, Color Matrix, Image Stabilizer; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 6G-SDIx2, HDMI, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 4K 2160p:29.97, 1080p60, 1080i:59.94, 23.98; IP up to 4K/2160p30, 1080p60; Power:12VDC, POE++; Body Color Black	5,070.00
R9-420N	<b>NDI High Bandwidth</b> , 4K60 PTZ camera, Sony image sensor, Optical 20X zoom, HOV:79°; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 12G-SDIx2, HDMI2.0, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 2160p60, 1080p60, 1080i:59.94, IP up to 2160p60, 1080p60; Power:12VDC, POE++; Body Color Black	3,695.00

Model	Description	UK List (£)
<b>NDI Line Outdoor</b> EXU230NX	Outdoor, <b>NDI-HX3</b> FHD PTZ camera, Sony image module, Optical 30X zoom, HOV:58°; Super Image Stabilizer; Low Light Performance; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 3G-SDIx2, HDMI, IP(Standard HEVC); SDI Optical, Video; Resolution: Up to 1080p60, 1080i:59.94, IP up to 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain wiper, Body Color Dark Grey	6,785.00
EXU248N	Outdoor, <b>NDI High Bandwidth</b> , FHD PTZ camera, Sony image module, 1 inch "Exmor R" CMOS 14.4MP; 48X zoom, HOV:64.6°; Black Level, Color Matrix, Image Stabilizer; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 6G-SDIx2, HDMI, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 4K 2160p:29.97, 1080p60, 1080i:59.94, 23.98; IP up to 4K/2160p30, 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain wiper, Body Color Dark Grey	8,335.00
EXU420N	Outdoor, <b>NDI High Bandwidth</b> , 4K60 PTZ camera, Sony image sensor, Optical 20X zoom, HOV:79°; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 12G-SDIx2, HDMI2.0, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 2160p60, 1080p60, 1080i:59.94, IP up to 2160p60, 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain wiper, Body Color Dark Grey	6,360.00
EX1030NX	Outdoor, <b>NDI-HX3</b> FHD PTZ camera, Sony image module, Optical 30X zoom; HOV:64°; Min. Illumination: 0.009lux; WDR(120dB); Super Image Stabilizer; Video Output: 3G-SDI+IP, Video Resolution: SDI up to 1080p:60/59.94,1080i:60/59.94; IP up to 1080p60(H.264/265) ; Control: RS422/485, IP; Protocol Support: VISCA, PELCO P/D, ONVIF IP, VISCA OVER IP; RTMP, RTSP; Pan/Tilt/Zoom ±360° Variable speed; 500m Adaptive Laser IR, Waterproof IP67 rated, Corrosion Resistant Treatment, Nitrogen Filled, Power: 24VAC, POE++, True Dual Output. Color Dark Grey; Rain wiper	6,015.00
SD530NX	Outdoor, <b>NDI-HX3</b> FHD PTZ Doom camera, Sony image module, Optical 30X zoom; HOV:64°; Min. Illumination: 0.009lux; WDR(120dB); Super Image Stabilizer; Video Output: 3G-SDI+IP, Video Resolution: SDI up to 1080p:60/59.94,1080i:60/59.94; IP up to 1080p60(H.264/265) ; Control: RS422/485, IP; Protocol Support: VISCA, PELCO P/D, ONVIF IP, VISCA OVER IP; RTMP, RTSP; Pan/Tilt/Zoom ±360° Variable speed; 100M IR LED; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VAC, POE(bt, 97W), Wiper; True Dual Output. Color Dark Grey	4,555.00

Model	Description	UK List (£)
<b>NDI Line Accessories</b>		
KBD-1020N	NDI PTZ Camera Controller. RS232/422/485 + IP control; Protocol Support: VISCA, PELCO P/D, IP ONVIF, VISCA-OVER-IP; IP Onvif; Variable Speed Control; Delicate PTZ 3-Way Sync joystick control; Power: 12VDC, POE,	685.00
EG40N	NDI-High Bandwidth/HX3, Decoder, Input:IP, Output:12G-SDI, HDMI 2.0, Audio(Out), RS-422	1,115.00
<b>Blue-Line</b>		
B2-210	FHD PTZ camera, 10X Optical zoom, HOV 69°, Output: HDMI+IP+USB2.0, Resolution: Up to 1080p60; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE, Color Black	515.00
B2-220	FHD PTZ camera, 20X Optical zoom, HOV 56°, Output: HDMI+3G-SDI+IP+USB2.0, Resolution: Up to 1080p60; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE, Color Black	685.00
B7-220	FHD PTZ camera, 20X Optical zoom, HOV 56°, Output: 3G-SDI+HDMI+IP+USB2.0, Resolution: Up to 1080p60, 1080i59.94; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE+, Color Black	860.00
B6-420	4K60 PTZ camera, 20X Optical zoom, HOV 80°, Output: HDMI 2.0+IP+USB2.0, Resolution: Up to 2160p60, Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE+, Color Black	1,200.00
B9-418 (Gen 2 IP)	4K30 PTZ camera, Sony image module, 1 inch "Exmor R" CMOS 14.4MP; 18X zoom, HOV:64.6°; Black Level, Color Matrix, Image Stabilizer; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio: Line In/Out; True Dual Output. Video Output: 3G-SDI, HDMI, IP; Optional Video Card: 3G-SDI Optical, HDBaseT(4K); Video; Resolution: Up to 4K 2160p:29.97, 1080p60, 1080i:59.94, 23.98; IP up to 4K/2160p30, 1080p60; Power:12VDC, POE+; Body Color Black	3,435.00
B9-418W (Gen 2 IP)	4K30 PTZ camera, Sony image module, 1 inch "Exmor R" CMOS 14.4MP; 18X zoom, HOV:64.6°; Black Level, Color Matrix, Image Stabilizer; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio: Line In/Out; True Dual Output. Video Output: 3G-SDI, HDMI, IP; Optional Video Card: 3G-SDI Optical, HDBaseT(4K); Video; Resolution: Up to 4K 2160p:29.97, 1080p60, 1080i:59.94, 23.98; IP up to 4K/2160p30, 1080p60; Power:12VDC, POE+; Body Color White	3,435.00
<b>White Colour - Special Order (please enquire)</b>		
B2-210W	FHD PTZ camera, 10X Optical zoom, HOV 69°, Output: HDMI+IP+USB2.0, Resolution: Up to 1080p60; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE, Color White	515.00
B2-220W	FHD PTZ camera, 20X Optical zoom, HOV 56°, Output: HDMI+3G-SDI+IP+USB2.0, Resolution: Up to 1080p60; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE, Color White	685.00
B7-220W	FHD PTZ camera, 20X Optical zoom, HOV 56°, Output: 3G-SDI+HDMI+IP+USB2.0, Resolution: Up to 1080p60, 1080i59.94; Control: Serial/IP, Pan/Tilt/Zoom variable speed; Power:12VDC, POE+, Color White	860.00

Model	Description	UK List (£)
<b>Red-Line (Indoor)</b> R9-230H	Indoor, FHD PTZ camera, Sony image module, Optical 30X zoom, HOV:58°; Super Image Stabilizer; Low Light Performance; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 3G-SDIx2, HDMI, IP(Standard HEVC); SDI Optical, Video; Resolution: Up to 1080p60, 1080i:59.94, IP up to 1080p60; Power:12VDC, POE++; Body Color Black	3,435.00
R9-418F	Indoor, 4K30 PTZ camera, Sony image module, 1 inch "Exmor R" CMOS 14.4MP; 18X zoom, HOV:64.6°; Black Level, Color Matrix, Image Stabilizer; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 6G-SDIx2, HDMI, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 4K 2160p:29.97, 1080p60, 1080i:59.94, 23.98; IP up to 4K/2160p30, 1080p60; Power:12VDC, POE++; Body Color Black	4,295.00
R9-418FW	Indoor, 4K30 PTZ camera, Sony image module, 1 inch "Exmor R" CMOS 14.4MP; 18X zoom, HOV:64.6°; Black Level, Color Matrix, Image Stabilizer; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 6G-SDIx2, HDMI, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 4K 2160p:29.97, 1080p60, 1080i:59.94, 23.98; IP up to 4K/2160p30, 1080p60; Power:12VDC, POE++; Body Color White	4,295.00
R9-420F	Indoor, 4K60 PTZ camera, Sony image sensor, Optical 20X zoom, HOV:79°; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 12G-SDIx2, HDMI2.0, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 2160p60, 1080p60, 1080i:59.94, IP up to 2160p60, 1080p60; Power:12VDC, POE++; Body Color Black	2,920.00
<b>White Colour - Special Order (please enquire)</b>		
R9-230HW	Indoor, FHD PTZ camera, Sony image module, Optical 30X zoom, HOV:58°; Super Image Stabilizer; Low Light Performance; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 3G-SDIx2, HDMI, IP(Standard HEVC); SDI Optical, Video; Resolution: Up to 1080p60, 1080i:59.94, IP up to 1080p60; Power:12VDC, POE++; Body Color White	3,435.00
R9-420HW	Indoor, 4K60 PTZ camera, Sony image sensor, Optical 20X zoom, HOV:79°; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 12G-SDIx2, HDMI2.0, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 2160p60, 1080p60, 1080i:59.94, IP up to 2160p60, 1080p60; Power:12VDC, POE++; Body Color White	2,920.00

Model	Description	UK List (£)
<b>Red-Line (Outdoor)</b> EXU230H	Outdoor, FHD PTZ camera, Sony image module, Optical 30X zoom, HOV:58°; Super Image Stabilizer; Low Light Performance; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 3G-SDIx2, HDMI, IP(Standard HEVC); SDI Optical, Video; Resolution: Up to 1080p60, 1080i:59.94, IP up to 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain wiper, Body Color Dark Grey	5,930.00
EXU248F	Outdoor, FHD PTZ camera, Sony image module, 1 inch "Exmor R" CMOS 14.4MP; 48X zoom, HOV:64.6°; Black Level, Color Matrix, Image Stabilizer; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 6G-SDIx2, HDMI, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 4K 2160p:29.97, 1080p60, 1080i:59.94, 23.98; IP up to 4K/2160p30, 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain wiper, Body Color Dark Grey	7,475.00
EXU420F	Outdoor, 4K60 PTZ camera, Sony image sensor, Optical 20X zoom, HOV:79°; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 12G-SDIx2, HDMI2.0, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 2160p60, 1080p60, 1080i:59.94, IP up to 2160p60, 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain wiper, Body Color Dark Grey	5,500.00
EX1030H	Outdoor, FHD PTZ camera, Sony image module, Optical 30X zoom; HOV:64°; Min. Illumination: 0.009lux; WDR(120dB); Super Image Stabilizer; Video Output: 3G-SDI+IP, Video Resolution: SDI up to 1080p:60/59.94,1080i:60/59.94; IP up to 1080p60(H.264/265) ; Control: RS422/485, IP; Protocol Support: VISCA, PELCO P/D, ONVIF IP, VISCA OVER IP; RTMP, RTSP; Pan/Tilt/Zoom ±360° Variable speed; 500m Adaptive Laser IR, Waterproof IP67 rated, Corrosion Resistant Treatment, Nitrogen Filled, Power: 24VAC, POE++, True Dual Output. Rain wiper, Color Dark Grey;	5,840.00
SD530H	Outdoor FHD PTZ Doom camera, Sony image module, Optical 30X zoom; HOV:64°; Min. Illumination: 0.009lux; WDR(120dB); Super Image Stabilizer; Video Output: 3G-SDI+IP, Video Resolution: SDI up to 1080p:60/59.94,1080i:60/59.94; IP up to 1080p60(H.264/265) ; Control: RS422/485, IP; Protocol Support: VISCA, PELCO P/D, ONVIF IP, VISCA OVER IP; RTMP, RTSP; Pan/Tilt/Zoom ±360° Variable speed; 100M IR LED; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VAC, POE(bt, 97W), Wiper; True Dual Output. Color Dark Grey	3,950.00
FEX230H	Outdoor FHD Zoom Fixed Camera, Sony image module, Optical 30X zoom; HOV:64°; Min. Illumination: 0.009lux; WDR(120dB); Image Stabilizer; Video Output: 3G-SDI+IP, Video Resolution: SDI up to 1080p:60/59.94,1080i:60/59.94; IP up to 1080p60(H.264/265) ; Control: RS422/485, IP; Protocol Support: VISCA, PELCO P/D, ONVIF IP, VISCA OVER IP; RTMP, RTSP; 60m IR; IP68 rated, Corrosion Resistant Treatment, Sunshield, Faceplate Heater, Anti-Corrosion, Nitrogen Pressurized, IP68, Power: 24VAC, POE, True Dual Output; Color Grey	2,920.00



Model	Description	UK List (£)
<b>White Colour - Special Order (please enquire)</b>		
EXU230HW	Outdoor,FHD PTZ camera, Sony image module, Optical 30X zoom, HOV:58°; Super Image Stabilizer; Low Light Performance; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 3G-SDIx2, HDMI, IP(Standard HEVC); SDI Optical, Video; Resolution: Up to 1080p60, 1080i:59.94, IP up to 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain Wiper, Body Color White	5,930.00
EXU248FW	Outdoor, FHD PTZ camera, Sony image module, 1 inch "Exmor R" CMOS 14.4MP; 48X zoom, HOV:64.6°; Black Level, Color Matrix, Image Stabilizer; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 6G-SDIx2, HDMI, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 4K 2160p:29.97, 1080p60, 1080i:59.94, 23.98; IP up to 4K/2160p30, 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain wiper, Body Color White	7,475.00
EXU420FW	Outdoor, 4K60 PTZ camera, Sony image sensor, Optical 30X zoom, HOV:79°; Control: Serial/IP/IR, Protocol Support: VISCA, VISCA OVER IP, PELCO P/D, ONVIF IP. Genlock, Audio(in 3.5mm), Balanced Audio IN/OUT; True Dual Output. Video Output: 12G-SDIx2, HDMI2.0, IP(FAST HEVC); SDI Optical, Video; Resolution: Up to 2160p60, 1080p60, 1080i:59.94, IP up to 2160p60, 1080p60; Waterproof IP67 rated, Corrosion Resistant Treatment, Power: 24VDC/AC, POE++, Rain wiper, Body Color White	5,500.00
<b>Accessories</b>		
EG40F	FAST HEVC Decoder, Supports standard HEVC, Input:IP, Output:12G-SDI, HDMI 2.0, Audio(Out), RS-422;	1,030.00
BL-BR4K-1	HDBaseT RECEIVER, Runs Camera Power(POH)/Video Signal (up to 4K)/IP/RS232/RS422 Control/Audio/IR Control Over One CAT5e/6 Cable up to 80-100 meters. Power Input:54VDC, High Power Consumption up to 97W for BC series PTZ camera.	390.00
BL-PP97	97W POE POWER INJECTOR	430.00
BL-VNS-1	Visca-Over-IP to Serial RS232/422 convertor, POE power.	430.00
B-OSM-12	Optical SFP Module Transceiver, 12G-SDI	340.00
BLA-10	Balance Audio Input/Output Adaptor Cable, 10Pin Mini to XLR L/R Input/Output	85.00
BL-P24-5	POWER ADAPTER 24VAC 5A	125.00
P12-2	POWER ADAPTER 12VDC 2A	35.00
P12-4	POWER ADAPTER 12VDC 4A	50.00
VCC-RC-1	MINI IR REMOTE CONTROLLER	50.00
VCC-RC-2	IR REMOTE CONTROLLER R2	40.00

Model	Description	UK List (£)
<b>Mounting Brackets (Indoor)</b>		
VCC-CM	Camera Ceiling Mounting standard size, color black	35.00
VCC-CMW	Camera Ceiling Mounting standard size, color white	35.00
BL-CM-01	Camera Ceiling Mounting kit for 7 Series, 8 Series, BC-7 Series, BC-9 Series, D Series, B9 & R9 Series	75.00
C-WM1B	Small Size PTZ Camera Wall Mount Bracket (Black)	60.00
C-WM1W	Small Size PTZ Camera Wall Mount Bracket (White)	60.00
C-WM2B	Medium Size PTZ Camera Wall Mount Bracket (Black)	80.00
C-WM2W	Medium Size PTZ Camera Wall Mount Bracket (White)	80.00
C-WM2B-CV	Cover Set for Medium Size PTZ Camera Wall Mount Bracket (Black)	80.00
C-WM2W-CV	Cover Set for Medium Size PTZ Camera Wall Mount Bracket (White)	80.00
C-WM3B	Large Size PTZ Camera Wall Mount Bracket (Black)	115.00
C-WM3W	Large Size PTZ Camera Wall Mount Bracket (White)	115.00
C-WM3B-CV	Cover Set for Large Size PTZ Camera Wall Mount Bracket (Black)	115.00
C-WM3W-CV	Cover Set for Large Size PTZ Camera Wall Mount Bracket (White)	115.00
C-WPLB	Universal Wall Mount Plate for PTZ Camera (Black)	90.00
C-PMSB	PTZ Camera Pendant Mount System for for Drop Ceiling/Hard Surface Ceiling, 600-1000mm Length (Black)	430.00
B-RM11	19" Dual Rackmount	60.00
B-RM10	19" Single Rackmount	55.00
B-DR10	Din Rail Mount	35.00
B-SM10	Surface Mount	90.00
B-BM10	Base Mount	35.00
B-RM23	19" Tri Rackmount for EG40 Series	70.00
B-RM22	19" Dual Rackmount for EG40 Series	60.00
B-RM20	19" Single Rackmount for EG40 Series	55.00
BL-DR-P	DIN Rail Mount + Plate for use with Bolin POE Injector (BL-PP97) and HDBaseT Receiver (BL-BR4K)	45.00
<b>Mounting Brackets (Outdoor)</b>		
ES-WM	Outdoor Wall Mount System (Grey)	515.00
VAP-10	Vibration Absorption Plate Kit (Grey)	1,115.00
C-PMBA	Pendant Mount Base Mount Adapter	170.00
QR-BM	Outdoor Quick Installation Pad Base Mount Adapter (Grey)	255.00
SD-TCA	Tail Cable Adapter Camera Cover for SD5 Series Gen 3 (Grey) + SD-WM (Grey)	255.00
SD-WM	Wall Mount Bracket for SD500 Gen 2/Gen 3 (Grey)	85.00
BL-SD-CMS	Ceiling Mounting kit for SD500 Series Gen 2 , Includes BL-M-CMH, BL-M-CMT (White)	95.00
BL-M-PMA	Pole Mount Adapter for SD500 Gen 2 & EX1000 Gen 2 (White)	95.00
BL-M-CMA	Corner Mount Adapter for SD500 Gen 2 & EX1000 Gen 2 (White)	95.00
FEX-WM-A	Aluminum wall mounting kit for fixed camera use (White)	55.00