

www.hhb.co.uk

Audio Codecs

Portable



HHB Communications Limited Tel: +44 (0)20 8962 5000 Email: sales@hhb.co.uk January 2024



UK list ex VAT

£3,450.00

ACCESS NX - A sleek portable IP audio	codec designed with the user in mind
ACCESS-NX-P	9500-3000

- ACCESS-NX-P
- AAC family and Opus encoders
- CrossLock for secure and stable broadcasting
 5-inch capacitive touch screen
- Switchboard for easier connectivity
- Two mic-line inputs
- Optional 4-channel mixer
- Two USB ports
 - Built-in Ethernet port
 - Built-in battery up to 6.5 hours of talk time (5 hours with mixer)

Portable Audio Codec Accessories



ACCESS NX Mixer - 4-Ch Stereo mixer, headphone amp, PA feed, etc. ACCESS-NX-MIX 9500-3010 £980.00 Docks to the ACCESS NX • Four additional stereo Headphone Outputs on 1/4" jacks • Expands the audio I/O · Six total inputs and headphone out inc. two on main unit • Four Additional mic/line selectable XLR Inputs

NX-BATTERY • Spare battery for ACCESS NX	9501-0440	£100.00
NX-CHARGER • Battery Charger for ACCESS NX batteries	9501-0430	£70.00
NX-12VDC 12V DC Adapter for ACCESS NX 	9501-0420	£30.00



S-CASE-NX

- · For ACCESS-NX with or without Mixer
- · Includes removeable cutout for Mixer

9501-0415 £310.00

• Exterior Dims: 551 x 429 x 216mm



www.hhb.co.uk

Audio Codecs (continued)

Rack








UK list ex VAT

£90.00

		lio codec featuring AES67 for the modern s	
	ACCESS-NX-R	9500-3400	£2,760.00
	 AES67, AES3 and analog audio I/O HTML5-based user interface 	CrossLock for secure and stable broadcasting	
	EBU 3326/SIP mode for compatibility	Switchboard for easier connectivity	
		codec, capable of five full-duplex IP connec	ctions
	ACCESS-NX-MR	9500-5400	£4,390.00
	 Codec 1 has AES67, AES3 & Analogue I/O 	 Switchboard for easier connectivity 	
	 HTML5-based user interface 	CrossLock for secure and stable broadcasting	
	 Allows for multiple full-duplex connections to ACCESS, BRIC-Link or FieldTap remote units 	Switchboard for easier connectivity	
Ande III	BRIC-Link III - A high-performance, low	· •	
	BRIC-LINKIII	9500-0300	£1,660.00
	•••	· •	£1,660.00
	BRIC-LINKIII • Updated version of BRIC-Link • Works on variety of data networks: T1/E1, ISM	9500-0300	£1,660.00
	 BRIC-LINKIII Updated version of BRIC-Link Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, 	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and 	£1,660.00
]	 BRIC-LINKIII Updated version of BRIC-Link Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, public Internet connections 	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and G.711 	£1,660.00
	 BRIC-LINKIII Updated version of BRIC-Link Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, public Internet connections Low delay – less than 25mS in linear modes, less than 30mS in FLAC modes 	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and G.711 Switchboard for easier connectivity (license sold separately) 	£1,660.00
	 BRIC-LINKIII Updated version of BRIC-Link Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, public Internet connections Low delay – less than 25mS in linear modes, less than 30mS in FLAC modes HTML5-based user interface 	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and G.711 Switchboard for easier connectivity (license sold separately) Streaming server capabilities 	£1,660.00
	 BRIC-LINKIII Updated version of BRIC-Link Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, public Internet connections Low delay – less than 25mS in linear modes, less than 30mS in FLAC modes 	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and G.711 Switchboard for easier connectivity (license sold separately) 	£1,660.00
	 BRIC-LINKIII Updated version of BRIC-Link Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, public Internet connections Low delay – less than 25mS in linear modes, less than 30mS in FLAC modes HTML5-based user interface CrossLock for secure & stable broadcasting 	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and G.711 Switchboard for easier connectivity (license sold separately) Streaming server capabilities 	£1,660.00
	 BRIC-LINKIII Updated version of BRIC-Link Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, public Internet connections Low delay – less than 25mS in linear modes, less than 30mS in FLAC modes HTML5-based user interface 	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and G.711 Switchboard for easier connectivity (license sold separately) Streaming server capabilities 	£1,660.00
	 BRIC-LINKIII Updated version of BRIC-Link Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, public Internet connections Low delay – less than 25mS in linear modes, less than 30mS in FLAC modes HTML5-based user interface CrossLock for secure & stable broadcasting 	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and G.711 Switchboard for easier connectivity (license sold separately) Streaming server capabilities 	£1,660.00
	BRIC-LINKIII • Updated version of BRIC-Link • Works on variety of data networks: T1/E1, ISM Band IP Radios, Satellite, WANs and LANs, public Internet connections • Low delay – less than 25mS in linear modes, less than 30mS in FLAC modes • HTML5-based user interface • CrossLock for secure & stable broadcasting essories	 9500-0300 Enhanced front panel controls & indicators Codecs – Stereo and mono linear mode, FLAC modes, AAC/HE-AAC modes, Opus, G.722 and G.711 Switchboard for easier connectivity (license sold separately) Streaming server capabilities 	£1,660.00 £330.00



- Copy peers and profiles between codecs
 - Actively meter statistics on all of your codecs

-	THE ROOM POCKAGE IN THE		
MARK	Alline Arightee Briske Winter Not in Frank Not in Frank Not in Frank Not in Frank Not in Frank Not in Frank	AD TO THE STATE OF THE STATE O	Contract Contractor Nuclear State Nuclear St

SWITCHBOARD

/eSh	ots			5vitovia	Audia Codes 7
		Unit Name MIAC	Connection Status	Firmware	
0	UveShot/Portable UveShot	Benedici's Handheld Cam	Port Resile: NAT	13-p2-text4	Q [Dep
-	UveShot Rackmount UveShot	Frands at Marier Control	The Property state	1.3 p2-test4	et Denie
1	UveShot/Portable UveShot	John Paul's Weather Com	Profession and	13-p2-text4	Q Detail

Switchboard Traversal Server Software SWITCHBOARDTS

- Sync Codecs with Cloud-based server
- · Knowledge of IP addresses on either end of
- the link not requied
- Allows easy connections between codecs

9500-0080

- Presence and status information of Codecs
- · Can make some connections through routers and firewalls much easier
- Included as standard with ACCESS Codecs



HHB Communications Limited Tel: +44 (0)20 8962 5000 Email: sales@hhb.co.uk January 2024



£5,040.00

ww.hhb.co.uk		January 2024		www.comrex.c	
Audio	Codec Acce	essories (Continued)		UK list ex VAT	
		BRIC-LINKIII-DRK • BRIC-Link III Dual Rackmount Kit	9501-0305	£165.00	
		CC-CABLE • Contact Closure Cable for ACCESS Portables	9502-0200 , BRIC-Links, VH2. OPAL. (DB9M to mini-DIN 9M)	£30.00	
		S-CABLE • Serial Cable for ACCESS Portables and BRIC	9502-0205 -Links. (DB9F to mini-DIN 8M)	£30.00	
Peplin	k Pepwave	MAX Adapter 4G LTE Modem for	Audio Codecs		
		Peplink Pepwave MAX Adapter 4G LTE	Modem		
	Aux	PEPWAVE-MAX	9500-3075	£390.00	New
Video Codecs				UK list ex VAT	
Portal	ble				
		LiveShot Portable - A portable IP video	codec for live wireless newsgathering		
UVESHOT	1	LIVESHOT-P-AB	9500-0500	£5,820.00	
		 Highest quality H.264 video codec 	CrossLock technology for secure and stable broad	lcasting	
CONIREX	é 🔊 🎓	• AAC, HE-AAC, and AAC-ELD audio codecs	Switchboard for easier connectivity		
- e -	🚽 🔊 🛛 💗	Less than 200mS delay for two-way broadcast	 Highly portable, camera mounted 		
		Full-duplex cue channel	Works over 3G/4G networks, Wi-Fi, wired broadb connections, Inmarsat BGAN and VSAT terminals	and IP	
		Anton-Bauer gold mount plates			
		LIVESHOT-P-VAs above with V-Mount Battery	9500-0500	£5,820.00	
Rack					
		LiveShot Studio - A rackmount video IP	codec for live, two-way audio and video		

9500-0900

Less than 200mS delay for two-way broadcast · Works over 3G/4G networks, Wi-Fi, wired broadband IP

CrossLock technology for secure and stable broadcasting

connections, Inmarsat BGAN and VSAT terminals

· Switchboard for easier connectivity

LIVESHOT-R

Highest quality H.264 video codec

• Full-duplex cue channel

• AAC, HE-AAC, and AAC-ELD audio codecs



www.hhb.co.uk

HHB Communications Limited Tel: +44 (0)20 8962 5000 Email: sales@hhb.co.uk January 2024



UK list Video Codec Accessories ex VAT LiveShot Hub LIVESHOT-HUB £380.00 9500-0515 While the LiveShot Video IP Codec is designed to operate well when connected to the Internet via one or two 4G modems, a 4G network is not always available. When faced with a challenging 3G-only environment, the new LiveShot Hub will provide connections for up to four USB devices. The Hub provides additional 3G bandwidth and, because of LiveShot's advanced dynamic aggregation capabilities, the Hub also provides modem redundancy - as the camera moves, LiveShot will continuously adjust the amount of contribution from each modem LiveShot Connect Modem £430.00 LIVESHOT-CM 9500-0535 Comrex Connect Modem with LiveStot Portable Mounting Bracket LiveShot Portable Pouch LIVESHOT-PP 9501-0340 £190.00 LiveShot Portable Rain Cover LIVESHOT-RC 9501-0345 £240.00 LiveShot 12V DC adapter LIVESHOT-12V 9501-0210 £30.00 Extra Small Case For LiveShot Portable £270.00 **XS-CASE-LSP** 9501-0350 Cutouts for LiveShot Portable & accessories • Exterior Dims: 345 x 271 x 152mm UK list Studio Telephone Interfaces ex VAT EarShot IFB - A VoIP solution for TV IFB EARSHOT-IFB 9500-6000 £3,000.00 • 4 audio inputs (2 can be configured for IFB) · Cost-saving VoIP technology Can handle up to 30 callers • Uses G.711, and can be configured for higher quality audio · Selectable audio feeds Opal - An IP audio gateway for easy guest interviews ΟΡΑΙ 9500-4000 £1,490.00 • PC, Android & macOS/iOS compatible · Interoperable w/ Chrome, Firefox, Safari, Edge, & Opera · Supports two discrete connections at once · Half rack width - optional dual rackmount kit · Opus encoder **Opal Dual Rackmount Kit** £165.00 **OPAL-DRK** 9501-0270 VH2 - A two-line VoIP hybrid for individual broadcast or flawless conferencing 9500-1400 VH2 £1,320.00 · Prevents echo and other artifacts · Set up via easy-to-use web based configuration page • Support G.711 & G.722 · Allows for caller ID, outgoing calls, screening, and post-air management using companion VoIP phone set VH2 Dual Rackmount Kit VH2-DRK 9501-0260 £165.00 Polycom VVX150 IP Phone - Comrex approved telephone handset VVX150 9500-1420 £180.00

Prices quoted exclude VAT and delivery. Subject to change without notice. HHB Communications Limited, 73-75 Scrubs Lane, London, NW10 6QU