



www.hhb.co.uk

HHB Communications Limited  
Tel: +44 (0)20 8962 5000 Email: sales@hhb.co.uk  
January 2021



Model	Code	Description	UK List (£)
<b>iAM 12G-SDI - 12G / VoIP / Dolby Atmos Video &amp; Audio Monitoring</b>			
<b>12G/3G/HD/SD-SDI</b>			
iAM-12G-SDI	8114-0351	2RU Audio/Video monitoring and metering. 2 x SDI on BNC. 4 pairs of AES inputs on HD15, 16 analog outputs on 2 x DB25 & downmixed analog outputs on XLRs.	7,820.00
OPT- DOLBY D DD+ E	829167	Enables monitoring of Dolby® D, DD+, E & ED2 streams. Requires software activation key. Only available for the iAM-12G-SDI	1,310.00
OPT- DOLBY ATMOS	829163	Enable monitoring of Dolby® Atmos, D, DD+, E & ED2 streams. Requires software activation key. Only available for the iAM-12G-SDI	5,390.00
OPT-MADI/ANLG/TOS	829168	Enable monitoring of 8 Analog channels on DB-25, monitoring of 1 x MADI64 input via BNC. Includes Optical TOSLINK Input.	New 770.00
OPT-DANTE (12G)	829164	Enable monitoring from up to a 64ch Dante™ Input. Hardware card with software activation key. Includes OPT-MADI/ANLG/TOS (829168) card. Adds primary & secondary RJ-45 ports for hitless/2022-7 support (for Dante and 2110-30 signals),	New 1,150.00
OPT-RAVENNA 64 (12G)	829165	Enable monitoring from up to a 64ch Ravenna™ / AES67 Input. Includes NMOS support. Hardware card with software activation key. Includes OPT-MADI/ANLG/TOS (829168) card. Adds primary & secondary RJ-45 ports for hitless/2022-7 support (for Ravenna and 2110-30 signals),	New 1,310.00
<b>iAM Series™ - intelligent Adaptable Monitoring</b>			
<b>3G/HD/SD-SDI, AES, Analog, MADI, AoIP. VoIP</b>			
<b>Multi-Channel Audio &amp; Video Monitoring</b>			
iAM-VIDEO-2-MPEG	8114-0355	2RU Versatile Audio and Video Monitoring and Metering with unique touch screen control. OPT MPEG & OPT-ANLG included.	New 8,590.00
<b>3G/HD/SD-SDI, AES, Analog, MADI, AoIP. VoIP (audio essence)</b>			
<b>Multi-Channel Audio Monitoring</b>			
iAM-MIX8	8114-0090	1RU Audio Monitoring from a range of mixable input sources. 8 selectable output controls. Includes OPT-ANLG only. OPT-Dolby N/A for iAM Mix	2,790.00
iAM-MIX16	8114-0140	1RU Audio Monitoring from a range of mixable input sources. 16 selectable output controls. Includes OPT-ANLG only.	3,560.00
iAM-AUDIO-1	8114-0200	1RU Versatile Audio Monitoring and Metering with unique touch screen control. Includes Loudness an phase monitoring + OPT-ANLG only.	3,940.00
iAM-AUDIO-2	8114-0250	2RU Versatile Audio Monitoring and Metering with unique touch screen control. Includes Loudness an phase monitoring + OPT-ANLG only.	4,360.00

Prices quoted exclude VAT and delivery. Subject to change without notice.  
HHB Communications Limited, 73-75 Scrubs Lane, London, NW10 6QU



www.hhb.co.uk

Model	Code	Description	UK List (£)
<b>iAM Feature Options</b>			
<b>(please refer to <a href="http://www.wohler.com/iam-series/iam-series-options/">www.wohler.com/iam-series/iam-series-options/</a> for information on how options can be applied)</b>			
OPT-AES	829080	Enable monitoring of 4 AES3 Input Pairs. Software activation key.	390.00
OPT-MADI	829092	Enable monitoring of 1 x MADI64 input via BNC with 1 x looped output. Software activation key.	390.00
OPT-DOLBY	829077	Enable monitoring of Dolby® D, DD+ or E streams. Hardware card with software activation key. <b>OPT-DOLBY requires any one of the following OPT/SFPs to be added: OPT-AES, SFP-SDI, SFP-SDI-Fiber, SFP-2022-6, SFP 2110 or SFP-2110+2022-6</b>	1,310.00
OPT-DANTE	829078	Enable monitoring from up to a 64ch Dante™ Input. Hardware card with software activation key.	620.00
OPT-RAVENNA 256	829079	Enable monitoring from up to a 256ch Ravenna™ / AES67 Input. Includes NMOS support. Hardware card with software activation key.	890.00
OPT-RAVENNA 64	829173	Enable monitoring from up to a 64ch Ravenna™ / AES67 Input. Includes NMOS support. Hardware card with software activation key.	770.00
OPT-MPEG	829094	Enable monitoring of MPEG-2 & H.264 / MPEG-4 AVC in TS over IP. Software activation key. Enables SDI/ASI (if SFP-SDI is separately purchased) <b>Available for the iAM-VIDEO-2 only. New units now include it as standard</b>	1,540.00
OPT-OUTPUT-ROUTING	829159	Enables the flexibility to route input signals to various outputs. Requires software activation key. <b>Available for the iAM-MIX8/16 only</b>	310.00
<b>Small form-factor pluggable (SFP) Options</b>			
SFP-2110 w/Ember+	829086	SMPTE 2110 receiver; Multi-Mode 850 NM, LC (fiber) Connectors. SFP module with software activation key. Use emSET to configure SFP.	1,540.00
SFP-2110 w/NMOS	829086-1	SMPTE 2110 receiver; Multi-Mode 850 NM, LC (fiber) Connectors. SFP module with software activation key. Use emSET to configure SFP.	1,540.00
SFP-2022-6	829088	SMTPE 2022-6 receiver; Multi-Mode 850 NM, LC (fiber) Connectors. SFP module with software activation key. Use emSET to configure SFP.	1,540.00
SFP-2110 w/Ember+ +2022-6	829087	SMTPE 2110 or 2022-6 receiver; Multi-Mode 850 NM, LC (fiber) Connectors; SFP module with software activation key. Use emSET to	2,310.00
SFP-2110 w/NMOS+2022-6	829087-1	SMTPE 2110 or 2022-6 receiver; Multi-Mode 850 NM, LC (fiber) Connectors; SFP module with software activation key. Use emSET to	2,310.00
SFP-12G-SDI FIBER	829160	12G, 3G/HD/SD-SDI single mode Optical LC (fiber) video receiver. SFP module with software activation key. Only required if 12G-SDI input is needed via Fiber OR a 3rd 12G Input is required. <b>Only available for the iAM-12G-SDI</b>	390.00
SFP-SDI	829089	3G/HD/SD-SDI single video receiver with active loopback, HD-BNC Connectors. SFP module with software activation key.	390.00
SFP-SDI-FIBER	829084	3G/HD/SD-SDI/ASI video SFP optical input; LC (fiber) Connectors; Single-Mode Receiver, Medium Haul, Non-MSA, no output; SFP module with software activation key. Carries MPEG over ASI with OPT-MPEG.	390.00
SFP-SDI-OUTPUT	829083	3G-SDI Transceiver; HD-BNC connectors; Input and output are both SDI. SDI Output is from selected source (Video output is set at 1080P60). SFP has 1in & 1out. For the iAM-12G-SDI it may only be used as an input when in SFP slot or as an output when in Output SFP cage. SFP module with software activation key. <b>Available for iAM-12G-SDI and iAMVIDEO-2 only</b>	390.00
SFP-HDMI-OUTPUT	829155	HDMI/DVI output SFP, HDMI 2.0 Type D connector. Video output is set at 1080p60 from selected video source. Supports 2 channels of audio. SFP module with software activation key.	390.00
SFP-Madi-MM-Fiber	829081	MADI optical fiber receiver; Multi-Mode, LC (fiber) Connectors. SFP module with software activation key. <b>Not available for iAM-12G-SDI</b>	390.00
SFP-Madi-SM-Fiber	829082	MADI optical fiber receiver; Single-Mode, LC (fiber) Connectors. SFP module with software activation key. <b>Not available for iAM-12G-SDI</b>	390.00
SFP-SDI-Dual	829154	3G/HD/SD-SDI dual receiver; HD-BNC Connectors; SFP module with software activation key. Carries MPEG over ASI with OPT-MPEG option. <b>Available for iAM-VIDEO-2 only</b>	390.00

Prices quoted exclude VAT and delivery. Subject to change without notice.  
 HHB Communications Limited, 73-75 Scrubs Lane, London, NW10 6QU



www.hhb.co.uk

HHB Communications Limited  
 Tel: +44 (0)20 8962 5000 Email: sales@hhb.co.uk  
 January 2021



Model	Code	Description	UK List (£)
<b>iVAM - intelligent Video/Audio Adaptable Monitoring - 3G / AoIP / VoIP Video &amp; Audio Monitoring</b>			
<b>3G/HD/SD-SDI, AES, Analog, MADI, AoIP. VoIP</b>			
<b>1RU Multi-Channel Audio &amp; Video Monitoring</b>			
iVAM1-1	8120-0100	1RU Single screen,16 channel Dual Input, 3G/HD/SD-SDI, Audio and Video Monitor with touch screen control. Includes a pair of analog Inputs and outputs on XLR & HDMI Output	2,020.00
OPT-ANLG/TOS (iVAM)	829170	Enable monitoring of 8 Analog channels on DB-25. Hardware card with software activation key. Includes Optical TOSLINK Input.	New 620.00
OPT-DANTE (iVAM)	829171	Enable monitoring from up to a 64ch Dante™ Input. Hardware card with s'ware activation key. Includes AoIP card enabling primary and secondary	New 1,150.00
OPT-RAVENNA 64 (iVAM)	829172	Enable monitoring from up to a 64ch Ravenna™ / AES67 Input. Includes NMOS support. Hardware card with s'ware activation key. Includes AoIP	New 1,310.00

The following iAM options are also compatible with the iVAM1-1:  
 OPT-AES, OPT-MADI  
 SFP-2022-6, SFP-2110, SFP-2110+2022-6, SFP-Madi-MM-Fiber, SFP-Madi-SM-Fiber, SFP-SDI, SFP-SDI-Fiber

**AMP Series - Audio Monitoring and Metering**  
**3G/HD/SD-SDI, AES, Analog, AoIP**  
**16 Level Meters with Video**

2RU			
AMP2-16V-M	8130-0200	The World's Finest Audio/Video Monitor™. Modular upgradability. Includes 1 x 3G/HD/SD-SDI module. 2RU.	5,530.00
AMP2-E16V-M	8130-0300	The World's Finest Audio/Video Monitor™. Modular upgradability. Includes Dolby D/E/DD+ & 1 x 3G/HD/SD-SDI module. 2RU.	6,600.00
<b>Optional Modules (a maximum of 5 modules of any combination can be installed into each unit)</b>			
3G/HD/SD-SDI	829024	16 channel 3G/HD/SD-SDI Dual Input Audio/Video Module With 8 De-Muxed AES Output Pairs From SDI.	690.00
AES Input	829001	8 pair (16-channel) AES Audio Input Module.	540.00
AES Output	829002	8 pair (16-channel) AES Audio Output Module.	540.00
Analog w/TOSLINK	829021	8 channel Analog Inputs On DB-25; 8 Channel Analog Outputs On DB-25. Also Includes Optical TOSLINK Input.	540.00
<b>Additional Power Options</b>			
Redundant PSU	829140	Redundant Power Supply For AMP2-16 Series.	530.00
DC Power	829068	24 DC Power for the AMP-2 Series - Can replace main or be used as redundant supply.	500.00
<b>Feature Options (can be added to AMP2-16V &amp; AMP1-16V)</b>			
Dolby D/E/DD+	829014	Add support for monitoring Dolby® D/E/DD+.	1,310.00



www.hhb.co.uk

Model	Code	Description	UK List (£)
<b>3G/HD/SD-SDI</b>			
<b>16 Level Meters</b>			
<b>1RU</b>			
AMP1-16-M	8130-0400	Dual Input 3G/HD/SD-SDI Audio Monitor with 16 Channel Metering. 1RU.	2,400.00
<b>8 Level Meters</b>			
<b>1RU</b>			
AMP1-8-M	8130-0450	Dual Input 3G/HD/SD-SDI Audio Monitor with 8 Channel Metering. 1RU.	1,630.00
<b>3G/HD/SD-SDI, AES, Analog</b>			
<b>8 Level Meters</b>			
<b>1RU</b>			
AMP1-E8-MDA-3G	8102-0070	3G/HD/SD-SDI, AES, Analog Audio Monitor with 8 Channel Metering. Dolby D/E/DD+. 1RU.	4,360.00
AMP1-D8-MDA-3G	8102-0075	3G/HD/SD-SDI, AES, Analog Audio Monitor with 8 Channel Metering. Dolby AC-3. 1RU.	3,210.00
AMP1-S8-MDA-3G	8101-0090	3G/HD/SD-SDI, AES, Analog Audio Monitor with 8 Channel Metering. 1RU.	2,820.00
<b>2RU</b>			
AMP2-E8-MDA-3G	8102-0080	3G/HD/SD-SDI, AES, Analog Audio Monitor with 8 Channel Metering. Dolby D/E/DD+. 2RU.	4,750.00
AMP2-D8-MDA-3G	8102-0085	3G/HD/SD-SDI, AES, Analog Audio Monitor with 8 Channel Metering. Dolby AC-3. 2RU.	3,590.00
AMP2-S8-MDA-3G	8101-0100	3G/HD/SD-SDI, AES, Analog Audio Monitor with 8 Channel Metering. 2RU.	3,210.00
<b>2 Level Meters</b>			
<b>1RU</b>			
AMP1-2SDA	8103-0200	3G/HD/SD-SDI, AES3, Analog Audio Monitor with 2 Channel Metering. 1RU.	1,400.00
AMP1-2SDA+	8103-0210	3G/HD/SD-SDI, AES3, Analog Audio Monitor with 2 Channel Metering. Additional inputs. 1RU.	1,670.00
<b>AES, Analog</b>			
<b>2 Level Meters</b>			
<b>1RU</b>			
AMP1-DA/106	8101-0020	1RU, AES, Analog Audio Monitor with 2 Channel Horizontal Metering. 1RU.	1,590.00
<b>AMP Series - Audio Speaker Systems</b>			
<b>AES, Analog</b>			
<b>4 Channel Audio</b>			
<b>1RU</b>			
VMQ-4	8110-0030	4 Channel, Analog Audio Monitor. 1RU.	870.00
<b>Analog</b>			
<b>2 Channel Audio</b>			
<b>1RU</b>			
AMP1A-PLUS	8100-0320	2 Channel, Analog Audio Monitor. 1RU.	870.00
<b>1RU / Half-Rack (9.5")</b>			
HRS-1S	8100-0310	Self-Powered Half-Rack (9.5") Speaker System, 2 Channel, 2 XLR Inputs. A, B, or A+B Summing Selection. With RE-1 mounting kit.	860.00
<b>Options</b>			
RE-1	RE-1	Half-Rack Mounting Hardware for HRS-1S, Center Mount Kit.	50.00
RE-2	RE-2	Half-Rack Mounting Hardware for HRS-1S, Side Mount Kit.	50.00
RE-3	RE-3	Half-Rack Mounting Hardware for HRS-1S, Side-By-Side Mount Kit.	50.00



www.hhb.co.uk

HHB Communications Limited  
Tel: +44 (0)20 8962 5000 Email: sales@hhb.co.uk  
January 2021



Model	Code	Description	UK List (£)
<b>RM Series - Video Monitoring</b>			
<b>3G/HD/SD-SDI, Analog</b>			
<b>In-Rack Video</b>			
<b>2RU</b>			
RM-2350W-3G	8002-0350	Triple 5.0" LCD Video Monitor, 3G/HD/SD-SDI, Composite, HDMI. Audio/Video Metering. 2RU.	2,300.00
RM-2443WS-3G	8001-0340	Quad 4.3" 16:9 Widescreen LCD Video Monitor, Auto sensing 3G/HD/SD-SDI & Composite on BNC. Audio/Video Metering. 2RU.	2,730.00
RM-2443WS-3G2	8001-0345	Quad 4.3" 16:9 Widescreen LCD Video Monitor, Auto sensing Dual Input 3G/HD/SD-SDI & Composite on BNC. Audio/Video Metering. 2RU.	3,030.00
RM-2445W-3G2	8002-0360	Quad 4.5" 16:9 Widescreen LCD Video Monitor, Dual Input 3G/HD/SD-SDI & Composite on BNC. Embedded Audio + RCA. Audio/Video Metering. 2RU.	2,730.00
<b>3RU</b>			
RM-3270W-3G2	8002-0177	Dual 7.0" Widescreen LCD Video Monitor, Dual Input 3G/HD/SD-SDI, Composite and HDMI In/OUT. Audio/Video Metering. 3RU.	2,050.00
<b>4RU</b>			
RM-4210W-3G2	8002-0381	Dual 10.0" Widescreen LCD Video Monitor, Dual Input 3G/HD/SD-SDI, Composite and HDMI IN/OUT. Audio/Video Metering. 4RU.	2,820.00
<b>Single Screen</b>			
<b>17"</b>			
RMTF-170-3G-TT	8001-0420	17" LCD Video Monitor, Dual Input 3G/HD/SD-SDI, Composite, HDMI. Audio/Video Metering. Suitable or inside/outside use. Tabletop Stand	1,420.00
RMTF-170-3G-RM	8001-0421	17" LCD Video Monitor, Dual Input 3G/HD/SD-SDI, Composite, HDMI. Audio/Video Metering. Suitable for inside/outside use. Rack Mount Frame	1,420.00
<b>Feature Options for the RMTF-170-3G</b>			
Sun Shade	829201	Sun Shade - Feature Option for the RMTF-170-3G (for external use).	120.00
<b>21"</b>			
HDM-215-3G-TT	8001-0500	21" LCD Video Monitor, Dual Input 3G/HD/SD-SDI, Composite, Component, HDMI. Audio/Video Metering. Tabletop Stand.	2,820.00
<b>32"</b>			
HDM-320-4K-TT	8001-0630	32" UltraHD IPS LCD Video Monitor, 4 x 3G/HD/SD-SDI BNC Inputs, Audio/Video Metering. Tabletop Stand.	2,500.00